



Specifications and technical data are subject to change without notice.
Please contact to confirm relevant information on ordering.

📍 No.18, Gutang Rd, Shanghai 201209, China
 ☎️ +86 21 5032 0898
 📠 +86 21 5032 0828
 ✉️ info@ebasee.com
 🌐 www.ebasee.com



Copy right reserved EBS.NO.2021001

Ebasee
Smart Living Green Ebasee



CONTROL ELECTRIC



COMPANY PROFILE

As a leading supplier in the low voltage electrics industry, Shanghai Ebasee Electric Co., Ltd. products have been used for residential, commercial and industrial applications with its quality and service. EBASEE brand is recognized for its quality and reliability in an ever-increasing number of markets worldwide. So far EBASEE products have been approved by international labs including BV, TUV, Intertek, with KEMA, CB, SEMKO, RoHS, CE, and CCC etc.

With qualified raw materials and components supply, all products are manufactured by EBASEE's defined international specifications. We have 4 semi-auto production lines, up-to-date quality control facilities, well-trained and experienced workers. Moreover, with a technical R & D team and fully equipped in-house laboratory, EBASEE factory can carry out efficient new products development, daily production and QC.

EBASEE have a wide range of cooperations with world leading companies in new products development, OEM and ODM cooperation. Meanwhile, we process the idea of green and smart energy, working with universities such as Xi'an Jiao Tong University to get more intelligent and environmental electric solutions.


EBASEE focused on achieving growth through the success of worldwide partners. Guided by the philosophy of "market-oriented", powered by the idea of "Quick response and flexible supply", EBASEE support our worldwide partners to compete against established global players, to deliver the most systematic and cost-effective products and service in the market.

"Smart life, Green EBASEE"



Quality is our culture!

PRODUCTION LINE








SMART LIVING GREEN EBASEE



INTERNATIONAL QUALITY CERTIFICATE

EBASEE products have been approved by international labs including BV, TUV, Intertek, with KEMA, CB, SEMKO, RoHS, CE, and CCC etc.




1. Function

EBSA2 A4 A5series button is suitable for AC 50Hz and 60Hz, rated operation voltage up to 380V and DC 250V in the industrial control circuits, used as electromagnetic starter, contactors, relays and others' control of electrical lines.

2. Nomenclature

EBSA4 - 1 2 3 4 5 6 7




Part Material EBSA4

Type	head part	mid-rise	contact	switch case
EBSA4 series	Zinc	Zinc	Silver alloy	nylon









Remarks: Other technical parameters and characteristics refer to EBSA2

3. Component Material (EBSA4)



3. Product list

















Button Switch

Type and Elucidation	Color	Contact type		Reference	Weight (kg)	Size (mm)
		NO	NC			
	White	1	-	EBSA4-BA11	0.0684	
	Black	1	-	EBSA4-BA21	0.0684	
	Green	1	-	EBSA4-BA31	0.0684	
	Yellow	1	-	EBSA4-BA51	0.0684	
	Blue	1	-	EBSA4-BA61	0.0684	
	Red	-	1	EBSA4-BA42	0.0684	
	Black	1	1	EBSA4-BA25	0.0774	
	Green	1	1	EBSA4-BA35	0.0774	
	Red	1	1	EBSA4-BA45	0.0774	
	Green	1	-	EBSA4-BL31	0.069	
	Green	1	1	EBSA4-BL35	0.078	
	Red	-	1	EBSA4-BL42	0.069	
	Red	1	1	EBSA4-BL45	0.078	
	White	1	-	EBSA4-BL11	0.069	
	Black	1	-	EBSA4-BL21	0.069	
	Blue	1	-	EBSA4-BL61	0.069	
	Yellow	1	-	EBSA4-BL51	0.069	
		Black	1	-	EBSA4-BP21	
Green		1	-	EBSA4-BP31	0.07	
Yellow		1	-	EBSA4-BP51	0.07	
Blue		1	-	EBSA4-BP61	0.07	
Red		-	1	EBSA4-BP42	0.07	
Green		1	1	EBSA4-BP35	0.079	
Red		1	1	EBSA4-BP45	0.079	
		Green	1	-	EBSA4-BA3311	0.0589
	White	1	-	EBSA4-BA3341	0.0589	
	White	1	-	EBSA4-BA3351	0.0589	
	Red	-	1	EBSA4-BA4322	0.059	
	Red	-	1	EBSA4-BA4342	0.059	
	Green	1	1	EBSA4-BA4325	0.068	
	Red	1	1	EBSA4-BA4345	0.068	
	White	1	-	EBSA4-BW3161	0.075	
	Green	1	-	EBSA4-BW3361	0.075	
	Red	-	1	EBSA4-BW3462	0.075	
	Yellow	1	-	EBSA4-BW3561	0.075	
	Blue	1	-	EBSA4-BW3661	0.075	

Choice Switch

	Type and Elucidation	Position	Contact type		Reference	Weight (kg)	Size (mm)	
			NO	NC				
	2 Position button switch		1	-	EBSA4-BD21	0.083		
			1	1	EBSA4-BD25	0.0925		
			1	-	EBSA4-BD41	0.083		
			1	1	EBSA4-BD45	0.0925		
			2	-	EBSA4-BD33	0.0925		
	3 Position button switch		2	-	EBSA4-BD53	0.0925		
	2 Position switch with long handle		1	-	EBSA4-BJ21	0.083		
			1	1	EBSA4-BJ25	0.0925		
			1	-	EBSA4-BJ41	0.083		
			1	1	EBSA4-BJ45	0.0925		
			2	-	EBSA4-BJ33	0.0925		
	3 Position switch with long handle		2	-	EBSA4-BJ53	0.0925		
	2 Position switch with key		1	-	EBSA4-BG21	0.106		
			1	1	EBSA4-BG25	0.1154		
			1	-	EBSA4-BG41	0.106		
			1	1	EBSA4-BG45	0.1154		
			1	-	EBSA4-BG61	0.106		
			1	1	EBSA4-BG65	0.1154		
			2	-	EBSA4-BG33	0.1154		
	3 Position switch with key		2	-	EBSA4-BG53	0.1154		
	Take LED (include a lamp bulb)			White	EBSA4-BV61	0.0639		
				Green	EBSA4-BV63	0.0639		
				Red	EBSA4-BV64	0.0639		
				Yellow	EBSA4-BV65	0.0639		
				Blue	EBSA4-BV66	0.0639		
	Take LED(include a lamp bulb)		Green	1	1	EBSA4-BK2365	0.105	
			Red	1	1	EBSA4-BK2465	0.105	
			Yellow	1	1	EBSA4-BK2565	0.105	
			Green	1	1	EBSA4-BK3365	0.105	
			Red	1	1	EBSA4-BK3465	0.105	
			Yellow	1	1	EBSA4-BK3565	0.105	

"Urgent stop"of the lock button up type mushroom head button

	Type and Elucidation		Contact type		Reference	Weight (kg)	Size (mm)
			NO	NC			
	ø40mm Mushroom head button ø40mm	Black	1	-	EBSA4-BC21	0.116	
		Green	1	-	EBSA4-BC31	0.116	
		Red	-	1	EBSA4-BC42	0.116	
		Green	1	1	EBSA4-BC35	0.1211	
		Red	1	1	EBSA4-BC45	0.1211	
	Push-pull button	ø40	-	1	EBSA4-BT42	0.12	
		ø40	1	1	EBSA4-BT45	0.12	
	Turn to move to reset nasty stop red ø40	ø40	-	1	EBSA4-BS542	0.105	
		ø40	1	1	EBSA4-BS545	0.1154	
	(Ronis n. 455) The red key of the lock button up type ø40 mushroom head reset	ø40	-	1	EBSA4-BS142	0.08	
		ø40	1	1	EBSA4-BS145	0.0912	
Double key button switch							
	Double button		1	1	EBSA4-BL8325	0.044	
			1	1	EBSA4-BL8425	0.044	
	Double key square the head take light button Direct take LED		1	1	EBSA4-BW8365	0.045	
			1	1	EBSA4-BW8465	0.045	